

# WEST BENGAL POLLUTION CONTROL BOARD

'Paribesh Bhawan',  
Bldg. No. - 10A, Block - LA, Sector-III,  
Salt Lake City, Kolkata - 700 098



Consent Letter Number : CO100829

Memo Number : 1644-7/WPBD-Cont (3567)/08

Date : 26/08/2016

## Consent to Operate

under

Section 25 & 26 of the **Water (Prevention and Control of Pollution) Act, 1974** and  
Section 21 of the **Air (Prevention and Control of Pollution) Act, 1981**

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974, as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended, and Rules and Orders made thereunder, hereby grants its consent to :

M/s. C.P. Sponge Iron Pvt Ltd.

(Address of Regd. office/Head/Office/City Office)

(hereinafter referred to as Applicant) for its unit located at Raturia Angadpur Industrial Area, P.O. Angadpur, P.S. Coke Oven, Dist. Burdwan, Pin - 713215.

(Detailed address of the manufacturing unit)

for a period from 01.09.2016 to 31.08.2021

to operate the industrial unit and to discharge liquid effluent and to emit gaseous effluent from the premises/land of the industrial unit, in accordance with the conditions as mentioned in the Annexure to this consent letter provided on any day at any instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in the Table I & II of this consent letter and in the Environmental (Protection) Act, 1986.

Breach of the conditions and / or failure to comply with the directions as set out in the Annexure shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.

For and on behalf of the State Board

Environmental Engineer  
Burdwan Regional Office  
(Member Secretary/Chief Engr./Sr. Env. Engr./Env. Engr./Asst. Env. Engr.)

W. B. Pollution Control Board  
REGIONAL OFFICE  
SABD KHUDIRAM SARKAR  
NEW CENTRE, TANKA, BURDWAN

## ANNEXURE


Consent to ..... M/s. C.P. Sponge Iron Pvt Ltd,  
 for its unit at ..... Raturia Angadpur Industrial Area,  
 P.O. Angadpur, P.S. Coke Oven, Dist-Burdwan, Pin- 713215.

Conditions :

1. This Consent is valid for the manufacture of :—

Sl. No.	Name of major products and by-products	Quantity manufactured per month
01	Sponge Iron	6000 Ton/month.
02	RMP dust (by product)	200 Ton/month.
03		
04		
05		
06		
07		
08		
09		
10		
11		
12		

02. The Applicant shall remain responsible for quantity and quality of liquid effluent and air emissions.
03. Daily discharge of industrial liquid effluent shall not exceed ..... Nil ..... KL.
04. Daily discharge of domestic liquid effluent shall not exceed ..... A.O ..... KL.
05. Daily discharge of mixed (industrial & domestic) liquid effluent shall not exceed ..... Nil ..... KL.
06. The Applicant shall discharge liquid effluent to ..... Municipal drain after treatment ..... (place of discharge)  
 through ..... 1 (one) ..... nos. outlets/outfalls.
07. To bring into any altered or new outlet/ourfall or to change the place of discharge, the Applicant shall have to inform the Board and obtain prior permission of the Board in this effect.
08. The Applicant shall provide comprehensive facility for treatment of industrial liquid waste and domestic liquid waste (sewage, sullage and liquid effluent generated from canteen), and operate and maintain the same continuously so that the quality of final effluent conforms to the Standard as given in Table-I in page 03.

  
 ✓  
 (Member Secretary/Chief Engr./Sr. Env. Engr./Env. Engr./Asst. Env. Engr.)  
 Environmental Engineer  
 Durgapur Regional Office  
 West Bengal Pollution Control Board

Continued.....

Consent to M/s. C.P. Sponge Iron Pvt Ltd,  
 for its unit at Raturia Angadpur Industrial Area, P.O. Angadpur  
P.S. Coke Oven, Dist - Burdwan, Pin - 713215.

Table - I

Outlet No.	Nature of effluent	Parameters	Standard	Frequency of effluent sampling
1	Domestic	pH	Between : 5.5 to 9.0	
		Total Suspended Solids	Not to exceed : 100 mg/l.	
		Biochemical Oxygen Demand (3day at 27°C)	Not to exceed : 30 mg/l.	yearly
		Chemical Oxygen Demand	Not to exceed : 250 mg/l.	
		Oil & Grease	Not to exceed : 10 mg/l.	

09. The Applicant falls in the Cess paying Category of the Water (Prevention and Control of Pollution) Cess Act, 1977 and Rules made thereunder and the Applicant shall comply with the provisions of the said Act and Rules made thereunder.

10. Daily water consumption for the following purposes should not exceed :-

- Industrial cooling, spraying in mine pits and boiler feed water → ..... 200.00 ..... KL  
(Water used for gardening should be included in this category of use)
- Domestic purpose → ..... 10.00 ..... KL
- Processing whereby water gets polluted and the pollutants are easily biodegradable → ..... 150.00 ..... KL
- Processing whereby water gets polluted and the pollutants are not easily biodegradable → ..... 50.00 ..... KL

The Applicant shall regularly submit to the Board the Returns of Water Consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

(Member Secretary/Chief Engr./Sr. Env. Engr./Env. Engr./Asst. Env. Engr.)

*Ramkrishna*  
 Environmental Engineer  
 Durgapur Regional Office  
 West Bengal Pollution Control Board

Continued.....

