

WEST BENGAL POLLUTION CONTROL BOARD

'Paribesh Bhawan',
Bldg. No. - 10A, Block-LA, Sector-III,
Salt Lake City, Kolkata-700 098



Consent Letter Number: **CO107541**

Memo Number: **447-drc-co-17/0164**

Date: **30.01.2018**

Consent to Operate

Application no. **CO000000018405**

under

Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 and
Section 21 of the Air (Prevention and Control of Pollution) Act, 1981.

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974, as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended, and Rules and Orders made thereunder, hereby grants its consent to:

**M/s. Krishna Tissues Pvt. Ltd., at 'Star Export House', BD-33, Sector-I
Bidhannagar, Kolkata - 700064, W.B.**

(Address of Regd. office/Head/Office/City Office)

(hereinafter referred to as Applicant) for its unit located at **Burdwan - Katwa Road, Vill & P.O: Bhatar,
Dist. Purba Burdwan, Pin-713125,**

(Detailed address of the manufacturing unit)

for a period from **date of issue** to **31/05/2022**

to operate the industrial unit and to discharge liquid effluent and to emit gaseous effluent from the premises/land of the industrial unit, in accordance with the conditions as mentioned in the Annexure to this consent letter provided on any day at any instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in the Table I & II of this consent letter and in the Environmental (Protection) Act, 1986.

Breach of the conditions and / or failure to comply with the directions as set out in the Annexure shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.



30/01/2018
For and on behalf of the State Board
Senior Engineer
Kankinara Circ. Office
W.B., Pollution Control Board

(Member Secretary/Chief Engr./Sr. Env. Engr./Env. Engr./Asst. Env. Engr.)

ANNEXURE


Consent to **M/s. Krishna Tissues Pvt. Ltd.,**
 for its unit at **Burdwan-Katwa Road, Vill & P.O: Bhatar, Dist. Purba Burdwan,**
Pin - 713125.

Conditions :

01. This Consent is valid for the manufacture of :-

Sl. No.	Name of major products and by-products	Quantity manufactured per month
01	Kraft Paper/Board and Duplex Board	15000 TPM
02		
03		
04		
05		
06		
07		
08		
09		
10		
11		
12		

02. The Applicant shall remain responsible for quantity and quality of liquid effluent and air emissions.
03. Daily discharge of industrial liquid effluent shall not exceed **608.0** KL.
04. Daily discharge of domestic liquid effluent shall not exceed **12.0** KL.
05. Daily discharge of mixed (industrial & domestic) liquid effluent shall not exceed **-** KL.
06. The Applicant shall discharge liquid effluent to **River Khori** (place of discharge) through **02 (two)** nos. outlets/outfalls.
07. To bring into any altered or new outlet/outfall or to change the place of discharge, the Applicant shall have to inform the Board and obtain prior permission of the Board in this effect.
08. The Applicant shall provide comprehensive facility for treatment of industrial liquid waste and domestic liquid waste (sewage, sullage and liquid effluent generated from canteen), and operate and maintain the same continuously so that the quality of final effluent conforms to the Standard as given in Table-I in page 03.


 30/01/2018

Dr. Somnath Narayan
 Senior Environmental Engineer
 Member Secretary/Chief Engr./Sr. Env. Engr./Sr. Engr./Asst. Engr.
 W.B., Pollution Control Board

(Member Secretary/Chief Engr./Sr. Env. Engr./Sr. Engr./Asst. Engr.)

Consent to M/s. Krishna Tissues Pvt. Ltd.,
 for its unit at Burdwan-Katwa Road, Vill & P.O: Bhatar, Dist. Purba Burdwan,
Pin - 713125.


Table - I

Outlet No.	Nature of effluent	Parameters	Standard	Frequency of effluent sampling
01. Industrial		pH	Between: 6.5 to 8.5	Quarterly
		Total Suspended Solids	Not to exceed: 30 mg/l.	
		Biochemical Oxygen Demand (3day at 27°C)	Not to exceed: 20 mg/l.	
		Chemical Oxygen Demand	Not to exceed: 150 mg/l.	
		Colour TDS	Not to exceed: 1600 mg/l.	
		Colour	" : 150 PCU	
		SAR	" : 8	
02. Domestic		pH	Between: 5.5 to 9.0	Yearly
		TSS	Not to exceed: 100 mg/l	
		BOD	: 30 mg/l	
		COD	: 250 mg/l	
		O & G	" : 10 mg/l	

09. The Applicant falls in the Category of the Water (Prevention and Control of Pollution) Cess Act, 1977 and Rules made thereunder and the Applicant shall comply with the provisions of the said Act and Rules made thereunder.

10. Daily water consumption for the following purposes should not exceed :-
- Industrial cooling, spraying in mine pits and boiler feed water → 240.0 KL
 (Water used for gardening should be included in this category of use)
 - Domestic purpose → 15.0 KL
 - Processing whereby water gets polluted and the pollutants are easily biodegradable → 785.0 KL
 - Processing whereby water gets polluted and the pollutants are not easily biodegradable → - KL

The Applicant shall regularly submit to the Board the Returns of Water Consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.


 30/01/2018
 (Member Secretary/Chief Engr./Sr. Inv. Engr./Exy. Engr./Asst. Engr./Asst. Engr.)
 Senior Engineer
 Kankinara Circle Office
 W.B., Pollution Control Board
 Continued... P/4

Consent to M/s. Krishna Tissues Pvt. Ltd.,
 for its unit at Burdwan-Katwa Road, Vill & P.O: Bhatar, Dist. Purba Burdwan,
Pin - 713125.

11. The *Applicant* shall install suitable device for measuring the volume of water consumed for different purposes as mentioned above giving correct result to the satisfaction of the *State Board*.
12. All the stacks connected to various sources of emissions must be designated by numbers such as S-1, S-2, S-3, etc., and this must be painted/displayed to facilitate identification.
13. The *Applicant* shall install comprehensive control system consisting of pollution control equipment as is warranted with reference to generation of air emissions and operate and maintain the same continuously so as to achieve the level of pollutants of the *Standard* as given in Table-II below :

Table - II

Stack No.	Stack height from G.I., (in mts.)	Stack attached to (sources and control system, if any) :	Volume Nm ³ /hr.	Velocity of gas emission m/sec	Concentrations of parameters not to exceed			Frequency of emission sampling
					SPM (mg/Nm ³)	CO (% v/v)		
S-1	30.0	Boiler (Husk/Coal fired) -01 no. 55 TPH			150	0.1	-	Half-yearly
S-2	30.0	D.G.Set (1x1500 KVA)			75 at 15% O ₂	150 mg/Nm ³ at 15% O ₂		
S-3								
S-4								
S-5								
S-6								
S-7								
S-8								
S-9								
S-10								

(Member Secretary/Chief Engr./Sr. Env. Engr./Enr. Engr./Asst. Env. Engr.)

5/11/18
 Senior
 W.B. Pollution Control Board
 Continued... P/5

Consent to M/s. Krishna Tissues Pvt. Ltd.,
 for its unit at Burdwan-Katwa Road, Vill & P.O: Bhatar, Dist. Purba Burdwan,
Pin - 713125.

14. The Applicant shall provide ports in the stack(s) and other necessary permanent facilities such as ladder, platform etc. for monitoring/sampling the air emissions and the same shall be made available for inspection and use by the State Board's staff as well as State Board's authorised agencies.
15. The Applicant shall observe the following fuel consumption pattern :-

Sl. No.	Type of fuel	Quantity consumed per day	Fuel burning operation where the fuel is used
01	Husk	10200 MT/Month	Boiler (1x55 TPH)
02	Coal	1800 MT/month	Boiler (1x55 TPH)
03	HSD	-	DG Set (1x1500 KVA & 1x125 KVA)
04			
05			

16. The Applicant shall maintain the generation and treatment/disposal of non-hazardous solid waste as specified below:

Type of waste	Quantity	Treatment	Disposal
Coal/Husk Ash	600 MT/month		Land filling and/or environmentally safe manner.
Paper Trimming ETP Sludge	1000 MT/month		Re-use, environmentally safe manner.

17. The Applicant shall take adequate measures for control of noise levels from its own sources within the premises within the limit given below:


Time	Limit in dB(A) L_{eq}
Day Time (06 a.m. to 09 p.m.)	75
Night Time (09 p.m. to 06 a.m.)	70

18. The Applicant shall at all times maintain good house-keeping, proper working order, and operate efficiently for control of pollution from all sources so as not to cause nuisance to surrounding areas/inhabitants and to achieve compliance with the terms and conditions of the consent.
19. The Applicant shall bring about at least 33% of the available open land under the green coverage / plantation.
20. The Applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the Applicant to maintain compliance with the terms and conditions of the consent. In absence of such an alternate electric power source, the Applicant shall stop, reduce or otherwise control production to abide by the terms and conditions of the Consent regarding pollution level.
21. The Applicant shall install a separate energy meter showing the consumption of energy for operation of pollution control devices.
22. The Applicant shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
23. The Applicant shall provide drainage system for conveying industrial and domestic liquid waste. Storm-water drain shall be kept separate from the drainage system meant for industrial and domestic liquid waste.

Consent to M/s. Krishna Tissues Pvt. Ltd.,
 for its unit at Burdwan-Katwa Road, Vill & P.O: Bhatar, Dist. Purba Burdwan,
Pin - 713125.

24. The *Applicant* shall maintain a separate register showing consumption of chemicals used in pollution control systems.
25. The *Applicant* shall get the samples of hazardous wastes/leachates analysed at least once in from the laboratory recognised of the West Bengal Pollution Control Board and ensure that they conform to the limits stipulated. Test reports shall be sent to the Board.
26. The *Applicant* shall provide adequate and safe facility for collection of air, wastewater and solid waste samples by the *State Board's* staff as well as *State Board's* authorised agencies.
27. The *Applicant* shall submit to the *State Board* by the 30th September of every year the Environmental Statement Report for the financial year ending 31st March of the current year in the prescribed form (Form-V) as required under the provisions of rule 14 of the Environment (Protection) [Second Amendment] Rules, 1992.
28. The *Applicant* shall allow the Officers of the *State Board* to enter into the applicant's premises at any reasonable time to inspect the pollution control systems as well as monitoring and measuring devices in connection with prevention & control of pollution.
29. The *Applicant* shall maintain an Inspection Book in the factory premises which shall be made available to Officers & employees of the *State Board* for inspection, review and to write down any direction or observation as is deemed necessary during the inspection from time to time.
30. The *Applicant* shall furnish to the *State Board* all information in respect of quality, quantity, rate of discharge, place of discharge of liquid effluent and air emissions.
31. The *Applicant* shall maintain adequate number of qualified and trained personnel among his staff for proper maintenance and operation of the effluent treatment and/or emission control devices and for overall environment management of the industry.
32. The *Applicant* shall have to make registration for the use of groundwater, if any, with Central Ground Water Authority.
33. The *Applicant* shall intimate to the *State Board* immediately of any occurrence or apprehension of occurrence of discharge of any poisonous, noxious or pollutants in excess of quality as well as quantity as mentioned earlier to any receiving water body/receiving system or to atmosphere owing to accident or other unforeseen incident / event including natural disaster. The *Applicant* shall (i) take all steps adequate to prevent such accidental discharge / release of poisonous, noxious or pollutants and to limit their consequences to persons and the environment. (ii) provide to the persons working on the site with the information, training and equipment including antidotes necessary to ensure their safety and mitigate the accidental release of poisonous, noxious or pollutants to the environment.
34. The *Applicant* shall make an application to the *State Board* in the prescribed form for renewal of the consent at least 60 (sixty) days before the date of expiry of this Consent.
35. The *Applicant* shall not make any alternation/modification/expansion in the existing manufacturing process and equipment as well as the pollution control system without prior approval of the Board.
36. The *Applicant* shall comply with the conditions as laid down in the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Hazardous Wastes (Management & Handling) Rules, 1989.

Additional Conditions - See Annexure.



 20/07/2018
 Dr. Somnath Narayan
 Senior Environmental Engineer
 Kankinara Circle Office
 W.P. Board, East Bngl.

SPECIAL CONDITION (Unit)

Annexure to Consent to Operate Letter Number: CO 107541 of M/s. Krishna Tissues Pvt. Ltd.
Located at Burdwan Katwa Road, Vill. + P.O.-Bhatar, Dist. Purba Burdwan, PIN-713125

1. Conditions mentioned in the Consent To Establish (NOC) issued by the State Board vide Memo No. 58-5/WPBD-NOC (4555)/13 dated 21.06.2013 and 114-5/WPBD-NOC (4555)/13 dated 09.02.2015 as well as amendment of Consent To Establish (NOC) issued by the State Board vide Memo No 300-5/WPBD-NOC (4555)/13 dated 08.02.2017 and 85-5/WPBD-NOC (4555)/13 dated 24.01.2018 must be complied with.
2. Charter for Water Recycling and Pollution Prevention in Pulp & Paper Industries, 2015 (Prepared by CPCB for Specific to Ganga River Basin States) must be complied with.
3. Paper mill must be operate such a way so that neighboured of the mill must not be affected due to their activity such as stagnation of water at the agricultural land, discharge of untreated waste water into nearby water body, poor housekeeping within the factory premises, open defecation by the factory worker, changing course of Khari River, encroachment of private land etc.
4. This Consent to Operate may be revoked at any time for non-compliance of the Environmental Statutes.

For and on behalf of the Board


30/01/2018
Dr. Somnath Narayan
Senior Environmental Engineer
Kolkata
W.B., Pollution Control Board

West Bengal Pollution Control Board