# WEST BENGAL POLLUTION CONTROL BOARD

'Paribesh Bhawan' Bldg, No. - 10A, Block - LA, Sector-III Salt Lake City, Kolkata-700 098



Content Letter	MismSer 4	CD 11 37 49	
<u> </u>	1.4001110001		٠.

Memo Number: 028-hl-co-2/19/0269

this consent letter giving one mouth's notice to the applicant.

Date 30-05/2019

### Consent to Operate

#### under

Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981

26 of the Water (Preyer	stion and Control of	Pollution) Act, 1974, as amende	as State Board) under the provisions of Section 23 led and Section 21 of the Air (Prevention and Cont der, hereby grants its consent to :	
M/s.	ELECTROSTECL	CARTERGS LTD (Ferre	Alley Plant)	
			(Address of Regd. office/Head/Office/City Offi	ce}
(hereinafter referred to	as Applicant) for its	unit located at Mauzes Ka	enberis, P.O: Shibrannosr,	
Dist: Medinipa	re (£), FIN:	7 21635		
				,
			(Detailed address of the manufacturing un	ait)
for a period from Pai	te of lease		to 31/03/2024	
trial unit, in accordance instance the quantity at	e with the condition of quality of liquid d	is as mentioned in the Annexu	gaseous effluent from the premises/land of the indure to this consent letter provided on any day at a shall not exceed the permissible limit as specified on) Act, 1986.	my
Breach of the co applicant liable for pro (Prevention and Control	scention under the	provisions of the Water (Previ	rections as set out in the Annexure shall render rention and Control of Pollution) Act, 1974 and	the Air
The State Board	reserve the right to r	evoke, withdraw or make any r	reasonable variation / change / after the conditions	i of

Si. Environment

For and on behalf of the State Board

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Bnv. Engr. / Asst. Env. Ungr.)

Senior Environmental Engineer
W.S. Poliution Control Board

# ANNEXURE

for its unit	M/s. ELECTROSTEEL CASTINGS LTD (Fer at Meuzo: Knehberin, P.O: Shibreshager	*
	Dist: Medinipera(E), PIN: 721635	A
Conditions	1	
01. Thi	- s Consent is valid for the manufacture of :-	
SI. No.	Name of major products and by-products	<del></del>
01	Ferre Hengenese	Quantity manufactured per month
02	Ferre Silicen	2269#T PA
93	Silice Management	6 250 TPA
04		16 260 TPA
05		
06		
07		
08		
09		
01		
71		
12		
<u>-</u> -l_		
The Appl	licant shall remain responsible for quantity and quality of	of liquid offluent and air emissions
Daily tas	change of industrial liquid effluent shall not exceed	<del></del>
Dany dis	charge of domestic liquid effluent shall not exceed	1 1•QD
	onarge or united (industrial & dornestic) hould afflored	Shall
120 1 107/22	condition of the condit	
	The state of the s	
	nto any altered or new outlet/outfall or to change the place and obtain prior permission of the Board in this effect.	
The Application Waste (see	cant shall provide comprehensive facility for treatment wage, sullage and liquid effluent generated from easily so that the quality of final effluent conforms to the Sa	of industrial liquid waste and domestic liqui inteen), and operate and maintain the sam andard as given in Table-Limpog. 02

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Burs. Engr.)

Senior Environmental Engineer W.B. Pollution Control Board

priint	(3)
onsent to	M/s. ELECTROSTEEL CASTINGS LTD (Feers Alley Plant)
for its unit at	Mguza: Kashberia, P.O: Shibranagar,
	Dist: Nadini Pere (E), PiN: 721635

### Table-I

Outlet No.	Nature of	Parameters	Standard	Frequency of effluent sampling	
01	Demestic	рн	Between: 5, 5 to 9,8	YEARLY	
<u></u>	1	Total Suspended Solids	Not to exceed: 100 mg/l.	l	
· <del></del>	<del></del>	Biochemical Oxygen Demand (3day at 27°C)	Not to exceed: 30 mg/1.		
_ <del></del>	<del> </del>	Chemical Oxygen Demand	Not to exceed : 250 mg/1.		
<u> </u>	<u> </u>	Oil & Grease	Not to exceed: 10 mg/1.		
·	,	Oll & Glease	1	<u> </u>	
———	<u> </u>		<del> </del>	<del> </del>	
	<u> </u>		<del>                                     </del>	<del> </del>	
			<del>  - \ </del>		
	·		<del> </del>		
			<del></del>	_	
	†			<u> </u>	
	<u> </u>	<u> </u>			
<del></del>	<del>  "</del>	<u> </u>		<u></u>	
	<del> </del>	+	\	<u> </u>	
<del></del>		+··- <del>-</del>	1	<b>—</b>	
<del>-</del>	<del></del>	· · · · · · · · · · · · · · · · · · ·	1	- 1	
	<u> </u>		1	<del></del>	
	.		<del>- </del>	<del></del>	
			<del></del>	· · <del></del>	
	Τ		<del></del>		
<u>-</u>	<del>                                     </del>		<del></del>	<del>- </del>	
	<u> </u>		<u> </u>		

19.	The Applicant falls in the and Control of Pollution) Cess Act, 1977 and Rules made there provisions of the said Act and Rules made thereunder.	under and th	Category of the Water Applicant shall to	ater (Prevention comply with the
0.	Daily water consumption for the following purposes should not e	xcccd :-		
	<ul> <li>Industrial cooling, spraying in mine pits and boiler feed water (Water used for gardening should be included in this category</li> </ul>	of use)	302 (Zere	Odscharge)
	Domestic purpose	÷	25	KJ
	<ul> <li>Processing whereby water gets polluted and the pollutants are easily biodegradable</li> </ul>	<b>→</b>		Ki
	<ul> <li>Processing whereby water gets polluted and the pollutants are not easily biodegradable</li> </ul>			K

the Coss as specified under Section 3 of the said Act.

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Boy. Engr. / Asst. Env. Engr.

Senior Environmental Engineer
W.B. Pollution Control Board

Continued.....

Consent to	M/s, 6	LECTADSTEEL	CAST	TINGS LTD (Ferre	Alloy 9	lant)	***************************************
	Olst:	Medini Pore	(ē),	PIN: 721635			

- 11. The Applicant shall install suitable device for measuring the volume of water consumed for different purposes as mentioned above giving correct result to the satisfaction of the State Board.
- 12. All the stacks connected to various sources of emissions must be designated by numbers such as S-1, S-2, S-3, etc., and this must be painted/displayed to faciliate identification.
- 13. The Applicant shall install comprehensive control system consisting of pollution control equipment as is warranted with reference to generation of air emissions and operate and maintain the same continuously so as to achieve the level of pollutants of the Standard as given in Table-II below:

Table-II

Stack No.	Stack height from	Stack attached 40 (sources and control system.	Volume Nm³/hr.	Velocity of gas emission	Сонест	trations o		fers not to excee	Frequency of emission sampling
	GI., (în mts.)	ifaný):		m/sec	SPM (mg/Nm³)	(%X)	50 2 (Mg/Na <sup>3</sup>	NO x 3 (M g/Nm 3)	- Sampang
S-I	35	Submerged Are Furnace (% NUA) 01 N			100		390	400	Guarter) y
8-2	30	Raw Meterial handling system			100	-			Quarterly
S-3	3.5 abs ve	D.E. 0+4			150	1			Y≡crly
8-4	leval								
S-5						/			
S-6									
S-7				· /					
S-8									
S-9									-
S-10						-			

(Member Secretary/Chief Bogs / Sn Env. Bogs / Snv. Regs. / Asst. Eav. Bogs.)
Septon Environmental Engineer

Consent to	N/s. ELECTROSTEEL CASTINGS LTD (form Alley Plant)
	Meuzot Koshberia, <sup>p</sup> .O: Shibranngar,
101 ItS tillt 21	Dist: Heginipers (ε), PlN: 721635

- 14. The Applicant shall provide ports in the stack(s) and other necessary permanent facilities such as ladder, platform, etc. for monitoring/sampling the air emissions and the same shall be made available for asspection and use by the State Board's staff as well as State Board's authorised agencies.
- 15. The Applicant shall observe the following fuel consumption pattern:-

St. No	Type of fuel	Quantity consumed per day	Fuel burning operation where the fuel is used
01		, ,	\
02			
03			
04		\.	
0.5			\

16. The Applicant shall maintain the generation and treatment/disposal of non-hazardous solid waste as specified below:-

Type of waste	Quantity	Treatment	Disposal
Farra Mangahasa	2298 MT/menth		Roused for milion
<u> 51 EG</u>			ន <b>ស</b> ្នេស្សានន

17. The Applicant shall take adequate measures for control of noise levels from its own sources within the premises within the limit given below:-

Time 10	Limit in dB(A) L <sub>eq</sub>
Day Time (06 a.m. to <b>99</b> p.m.)	75
Night Time (09/p.m. to 06 a.m.)	70

- 18. The Applicant shall at all times maintain good house-keeping, proper working order, and operate efficiently for control of poliution from all sources so as not to cause misance to surrounding areas/inhabitants and to achieve compliance with the terms and conditions of the consent.
- 19. The Applicant shall bring about at least 33% of the available open land under the green coverage / plantation.
- 20. The Applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the Applicant to maintain compliance with the terms and conditions of the consent. In absence of such an alternate electric power source, the Applicant shall stop, reduce or otherwise control production to abide by the terms and conditions of the Consent regarding pollution level.
- 21. The Applicant shall install a separate energy meter showing the consumption of energy for operation of pollution control devices.
- 22. The Applicant shall custure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 23. The Applicant shall provide drainage system for conveying industrial and domestic liquid waste. Storm water drain shall be kept separate from the drainage system meant for industrial and domestic liquid waste.

(Member Speretary/Chief Engr./ Sr. Boy. Engr. / Boy. Engr. / Asst. Eng. (Asst. Eng. )

Senior Environmental Engineer
W.S. Pollution Centre: Board

Continued......

Consent to M/s. ELECTROSTEEL CASTINGS LTD (Ferre Allay Plant)
for its unit at House: Kashberia, P.C: Shihrannagar,
Dist: Medinipere (ε), PIN: 721635

- 7.4. The Applicant shall maintain a separate register showing consumption of chemicals used in pollution control systems.
- 26. The Applicant shall provide adequate and safe facility for collection of air, waste water and solid waste samples by the State Board's staff as well as State Board's authorised agencies.
- 27. The Applicant shall submit to the State Board by the 30th Suptember of every year the Environmental Statement Report for the financial year ending 31st March of the current year in the prescribed form (Form -V) as required under the provisions of rule 14 of the Environment (Protection) [Second Amendment] rules, 1992.
- 28. The Applicant shall allow the Officers of the State Bound to enter into the applicant's premises at any reasonable time to inspect the pollution control systems as well as monitoring and measuring devices in connection with prevention & control of pollution.
- 29. The Applicant shall maintain an Inspection Book in the factory premises which shall be made available to Officers & employees of the State Board for inspection, review and to write down any direction or observation as is deemed necessary during the inspection from time to time.
- The Application shall furnish to the State Board all information in respect of quality, quantity, rate of discharge, place of discharge of liquid effluent and air emissions.
- 31. The Applicant shall maintain adequate number of qualified and trained personnel among his staff for proper maintenance and operation of the effluent treatment and / or emission control devices and for overall environment changement of the industry.
- The Applicant shall have to make registration for the use of groundwater if any, with Central Ground Water Authority.
- 33. The Applicant shall intimate to the State Board immediately of any occurrence or apprehension of occurrence of discharge of any personous, noxious or pollutants in excess of quality as well as quality as mentioned earlier to any receiving water body/receiving system or to atmosphere owing to accident or other unforeseen incident/event including natural disaster. The Applicant Shall (i) take all steps adequate to prevent such accident discharge/release of poisonous, noxious or pollutants and to limit their consequences to persons and the environment, (ii) provide to the persons working on the site with the information, training and equipment including antidotes necessary to ensure their safety and mitigate the accidental release of poisonous noxious or pollutants to the environment.
- 34. The Applicant shall make an application to the State Board in the prescribed form for renewal of the consent at least 60 (sixty) days before the date of expiry of this Consent.
- 35 The Applicant shall not make any alternation/modification/expansion in the existing manufacturing process and equipment as well as the pollution control system without prior approval of the Board.
- The Applicant shall comply with the conditions as laid down in the Manufacture, Storage and Import of hazardous Chemicals Rules, 1989 and Hazardous Wastes (Management & Handling) Rules, 1989.

Additional Conditions

The unit should comply with all the conditions issued in earlier environmental clearance, Consent to Establish and Consent to Operate

(Mannber Secretary, Chief Engr./ Sr. End. Engr. / Frv. Engr. / Asst. Low. Engr.)

Senior Environmental Engineer W.B. Polanton Control Board